

Protection against privacy eyes

markilux format, free standing

Modular screen system with a unique textile character – mobile indoor partition system.



01

04

11

Product Characteristics


1 surface element on feet – mobile use

can be extended at will and an be used in a whole realm of ways


3 decorative plug for rotating profile



stable, swivelling feet for flexible set-up



double plug, post connector ¹⁾ made of aluminium






detail of the cover side / front



detail of the frame side / rear



1) Optional accessories



Product Characteristics

Description

• mobile, rectangular screen system with aluminium frame and textile panel on stands, individual unit size up to 2 × 2 m – can be extended by adding extra modules

Special features

- mobile partition system ensuring privacy for universal use in residential and commercial situations
- excellent combination of modern, timeless design and maximum stability
- simple, unproblematic installation thanks to practical connecting system
- top-grade, easily cared for aluminium frame without visible connection fittings
- the invisible, all-round fixing of the fabric in the frame ensures that the visible part of the panel is reduced to a minimum of material frame and fabric
- individual design options in terms of size, frame colour and a selection of more than 200 fabric patterns benefits the environment and conserves resources "made in Germany"
- optional panel with markilux panoramic window for an unobstructed view
- the long service life is underscored by the fact that it is possible to re-tension and exchange the fabric panel

Dimensions

• unit width 95–200 cm, unit height 95–200 cm, maximum size 200 × 200 cm

Profile specifications

- extruded aluminium, in façade quality, powder coated
- two-piece frame profile, width 67 × depth 42 mm
- rotating profile 42 × 44 mm

Fixture

- two stands each 240 \times 600 \times 10 mm / unit, powder-coated steel, weight approx. 11 kg / piece, can be rotated and removed without the need for tools
- optional double plug connector for the rotating profiles to allow units to be joined side by side, no tools needed

Please Note: This product is intended for use indoors and can only be set up on a level surface.



Frame colours

markilux frame colours without surcharge

traffic white, RAL 9016

03

04

05

metallic aluminium, RAL 9006



grey brown, similar to RAL 8019



off-white textured finish, 5233 1)



stone grey metallic, 5215 $^{\scriptscriptstyle 1)}$



anthracite metallic, 5204 1)



havana brown textured finish, 5229 1)



Non-standard powder-coated finish


Bespoke frame colours incur a surcharge – matt, metallic, finely textured and pearl finishes as well as other colour ranges (DB, Tiger etc.) on request. All frame colours are available at a surcharge with enhanced corrosion protection.

Colours may differ slightly from those depicted in both hue and finish.

1) textured finish

Dimensions and configuration options

Single unit



Weight Order width (approx., without stands) 100 cm 150 cm 200 cm 100 cm 15 kg 12 kg 17 kg 20 kg Order height 150 cm 16 kg 18 kg 200 cm 24 kg 19 kg 21 kg

Awning cover	fabric pattern no.	standard	optional
sunvas	300315	\checkmark	_
sunbow	411427	\checkmark	_
smart art	340	_	✓
perla FR	371 / 372	_	\checkmark
perfotex	331 / 332	\checkmark	_
transolair	338	_	✓
transolair (120cm)	339	_	✓
vuscreen Alu	317	_	\checkmark
glass fibre screen Serge 600	272	_	✓
Soltis Proof 502	502V2	_	\checkmark
Soltis W96	W96	_	✓
Opatex Pro	284	_	\checkmark
panorama window	I	_	✓
full foil window		_	\checkmark

Overview

Schematic diagram

03

01

04

05

06

07


08

09

10

1112


11:




BB = order width BH = order height

Overview of dimensions, free-standing format


Fixtures, fittings and accessories














BB = order width BH = order height GB = overall width GH = overall height

dimensions in mm

295

markilux.com

01

04

05

07

00


10

1.0


L3


Overview of dimensions

Units in a row



Schematic diagram of possible applications – can be rotated





BB = order width
GB = overall width

dimensions in mm